



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

Maintenance Policy

Response:

The Institution has designed its own maintenance policy procedure that includes several methods to achieve the effective maintenance of physical, academic and other facilities.

Methods

Effective maintenance is being achieved by using the following methods.

1. Reformation site
2. Class Committee Meetings
3. Periodical visits by the supervisors concerned
4. WhatsApp group

Maintenance Section

- A centralized maintenance section, headed by a maintenance manager and supported by skilled technicians such as electricians, plumbers, carpenters and masons is in practice.
- This section takes care of the maintenance of infrastructural facilities that include plumbing, electrical, carpentry, masonry and sewage works.
- The section receives maintenance requirements from the departments and other sections and undertakes the necessary work following internal operating procedures under the directions given by the supervisors concerned, without disturbing the regular activities.



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

Internal operating Procedure:

Any problem that persists in a department is represented through the below mentioned methods.

- The supervisor/ skilled person/technician is summoned to rectify the problem.
- The technician resolves the problem on site if no additional material is required.
- In case of material requirements, the materials are received from the maintenance section after the approval of the store manager.
- If the material is to be procured from outside, permission is to be obtained from the maintenance coordinator / administrative officer and arrangements are made for procurement of the material to resolve the problem.

1. Physical Facilities

Electrical Maintenance:

- Monthly monitoring of electrical equipment such as Generator, UPS, and Batteries is done and its status is entered in the maintenance register.
- The suppliers/service providers are approached in case of any major fault.
- In case of any damage spots in the electrical equipment, quotations are invited and the part is procured as per the purchase procedure.
- The work done by the service provider is verified by the respective authorities and a report on the completion of work is submitted to the maintenance officer.
- Required support is obtained from external agencies and TNEB whenever required.



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

Building Maintenance:

- An approved third party civil engineer and his team are responsible for new construction works and the maintenance of buildings, including laying, painting, plumbing, and sanitary fittings following the campus protocols.

Furniture Maintenance:

- Periodically, monitoring of furniture such as chairs, tables, windows, and doors is done on a regular basis, and the status is entered in the register.
- In the event of any damage or replacement noted on the reformation site, the suppliers/service providers are approached to rectify it at regular intervals.

Network / Wi-Fi Maintenance:

- Functioning of the college intranet and internet facility is monitored and maintained by the hardware technicians in association with system administrators of the college.
- Any upgrades or modification to the existing network model is carried out by inviting quotations from external agencies following guidelines from the CSE department.

2. Academic Facilities:

Library:

- Damaged books are collected by the librarian for hard binding on a regular basis.
- Rare and High volume books are maintained in the reference section.
- Journals and Magazines subscribed annually are bound as a book volume.
- The entire library is cleaned weekly.
- Book shelf rectification is performed every semester by using the book call number
- The library's digital section systems are formatted and maintained every semester.



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

Laboratories:

- Equipment in the laboratories is maintained and calibrated periodically.
- In-house maintenance and repairs are addressed by the respective qualified and trained department technicians.
- Major problems and repairs are addressed in consultation with the suppliers following the advice of the HoD concerned and the Principal.
- Computers and software in the laboratories are maintained by computer hardware technicians under the supervision of system administrators.

Classrooms:

- Every Department has a furniture incharge who periodically checks the condition of classrooms and laboratory amenities like benches, chairs, black boards, fans, lights, and electronic equipment.
- The incharge resolves the problem through the Head of the Department following the procedure.

3. Supporting Facilities:

Sports:

- Athletic field tracks are refilled once in every five year and playgrounds such as volleyball, cricket, Handball, Koko, Kabaddi, and Throwball fields are filled on an annual basis by the skilled manpower under the supervision of the Physical Director.
- Sporting equipment is purchased according to the lifetime of the material by the Physical Director.

4. Transport Facilities:

- Minor damage/ repairs in the buses are rectified using the skilled manpower inside the campus under the supervision of the Transport Manager.



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

- Major damage/ repairs in the buses are rectified by the skilled third-party service team tied up with the institution.
- An adequate number of spare buses are available in the 10:1 ratio of the buses that can be used in case of bus breakdown.
- An adequate number of drivers are available for all the buses. Additional drivers are also available in the 10:1 ratio for buses to alter the bus drivers in case of driver's medical emergency/ personal leave.
- Every year, all the buses are sent to the RTO office to check the fitness of the buses and the Fitness certificate of all the buses is maintained properly.
- A Speed limiter of 60km speed is fixed on all the buses.

5. Other Facilities:

- The Institute has an RO plant that provides 24X7 drinking water facility. Sufficient number of water points are available in the departments to provide clean drinking water. Periodically, the quality of water is tested by external vendors.
- Adequate manpower is employed to maintain the cleanliness of the campus, classrooms, staff rooms, seminar halls and laboratories, etc. The washrooms and restrooms are well maintained.
- The green cover of the campus is well maintained by full time gardeners.
- Surveillance Cameras are fixed in and around the Campus for security purposes and they are maintained by the system administrators.



NANDHA ENGINEERING COLLEGE


(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

Reformation





NANDHA ENGINEERING COLLEGE


(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

REFORMATION SITE





NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

As date on 1.10.2020

SNo	Date	campus	Institution	Department	Facility	Location	Category	Staff Name	work nature	Work Status	reason	days	complete Date	Bus No
285196	21/09/2022	Tech	NEC	NEC-MECH	Over sound in flase ceiling when fan is switched on	CAD/CAM Lab - Ground floor - Block 7	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285197	21/09/2022	Tech	NEC	NEC-MECH	AC not working (Count 1)	CAD/CAM Lab - Ground floor - Block 7	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285198	21/09/2022	Tech	NEC	NEC-MECH	Window glass damaged	CAD/CAM Lab - Ground floor - Block 7	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285199	21/09/2022	Tech	NEC	NEC-MECH	Need fixed table for the system (Long Table count 11)	CAD/CAM Lab - Ground floor - Block 7	Complaints	MURUGAPANDIAN G S-9788283108	Carpenter	Not Completed				
285203	21/09/2022	Tech	NEC	NEC-MECH	Painting for working table (Count 6)	Engineering Practices lab(Shed) - Near canteen	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285207	21/09/2022	Tech	NEC	NEC-MECH	windows glass broken (Count 3)	Mechatronics Lab - Ground floor - Block 7	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285209	21/09/2022	Tech	NEC	NEC-MECH	Painting for steel table (Count 5)	Thermal lab I (Shed 7) - Near Canteen	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285210	21/09/2022	Tech	NEC	NEC-MECH	Top ceiling window glass damaged (Count 16)	Thermal Engineering Lab I (Shed 7) - Near canteen	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

9/27/22, 10:39 AM

Nandha Educational Institutions

SNo	Date	campus	Institution	Department	Facility	Location	Category	Staff Name	work nature	Work Status	reason	days	complete Date	Bus No
285211	21/09/2022	Tech	NEC	NEC-MECH	Second floor to open terrace steps should be completed properly	Block 7 - Second floor to Open terrace steps	Complaints	MURUGAPANDIAN G 5-9788283108	Maintenance	Not Completed				
285212	21/09/2022	Tech	NEC	NEC-MECH	Paint touch up work for all class room and inside the block	Block 7 (Ground floor, First floor & second floor)	Complaints	MURUGAPANDIAN G 5-9788283108	Maintenance	Not Completed				
285213	21/09/2022	Tech	NEC	NEC-MECH	Tube lights not working near Step side (first and second floor) (Count 2)	Block 7 (First and Second floors)	Complaints	MURUGAPANDIAN G 5-9788283108	Electrical work	Not Completed				
285214	21/09/2022	Tech	NEC	NEC-MECH	All glass windows (Ground floor) should be protected with weld mesh	Block 7 - Ground floor	Complaints	MURUGAPANDIAN G 5-9788283108	Maintenance	Not Completed				
285216	21/09/2022	Tech	NEC	NEC-MECH	Need wall painting inside the lab	Special Machines Lab (Shed 4) - Near Canteen	Complaints	MURUGAPANDIAN G 5-9788283108	Maintenance	Not Completed				
285217	21/09/2022	Tech	NEC	NEC-MECH	Ceiling thermoclo damaged (Count 5 sheet)	Special Machines lab (Shed 4) -Near Canteen	Complaints	MURUGAPANDIAN G 5-9788283108	Maintenance	Not Completed				



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

09/22 10:39 AM

Nandha Educational Institutions

SNo	Date	campus	Institution	Department	Facility	Location	Category	Staff Name	work nature	Work Status	reason	days	complete Date	Bus No
285215	21/09/2022	Tech	NEC	NEC-MECH	Radial drilling machine wire damaged	Special Machines lab (Shed 4) -Near Canteen	Complaints	MURUGAPANDIAN G S-9788283108	Electrical work	Not Completed				
285242	22/09/2022	Tech	NEC	NEC-MECH	Change wire connection for Grinding Machine and M/G welding machine (2 Machines)	Engineering Practices Lab (Shed 9) - Near canteen	Complaints	MURUGAPANDIAN G S-9788283108	Electrical work	Not Completed				
285245	22/09/2022	Tech	NEC	NEC-MECH	Need table painting (Count 1)	Block 7 - Ground floor - Project Lab (Room No. 009)	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285247	22/09/2022	Tech	NEC	NEC-MECH	Remove projector switch box and wire	Block 7 - First floor - Room no. 106 (Industry sponsored lab)	Complaints	MURUGAPANDIAN G S-9788283108	Electrical work	Not Completed	✓			✓
285250	22/09/2022	Tech	NEC	NEC-MECH	Window Glass Broken	Special Machines Lab (Shed) - Near Canteen	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285251	22/09/2022	Tech	NEC	NEC-MECH	Fan pipe have to remove	PG CAD Lab (Shed 1)	Complaints	MURUGAPANDIAN G S-9788283108	Electrical work	Not Completed				
285252	22/09/2022	Tech	NEC	NEC-MECH	Hand washer sump is blocked	PG CAD Lab (Shed 1)	Complaints	MURUGAPANDIAN G S-9788283108	Plumbing work	Not Completed				
285253	22/09/2022	Tech	NEC	NEC-MECH	Portable fan (Standing) is not working	PG CAD Lab (Shed 1)	Complaints	MURUGAPANDIAN G S-9788283108	Electrical work	Not Completed				



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

9/27/22, 10:39 AM

Nandha Educational Institutions

SNo	Date	campus	Institution	Department	Facility	Location	Category	Staff Name	work nature	Work Status	reason	days	complete Date	Bus No
285254	22/09/2022	Tech	NEC	NEC-MECH	Need projector screen service (Count 5)	Block 7 - Second floor - Room No 210	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285255	22/09/2022	Tech	NEC	NEC-MECH	Need sliding window service for class rooms and faculty cabin	Block 7 - Room No (101,102,104,108, 202,203,204,206)	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285256	22/09/2022	Tech	NEC	NEC-MECH	Window glass broken	Block 7 -First floor - Room No. 101	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285257	22/09/2022	Tech	NEC	NEC-MECH	Window fram damaged	Block 7 -First floor - Room No. 202	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285258	22/09/2022	Tech	NEC	NEC-MECH	Window glass broken	Block 7 -First floor - Room No. 204	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285259	22/09/2022	Tech	NEC	NEC-MECH	Window glass broken	Block 7 -Second floor - Room No.206	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285260	22/09/2022	Tech	NEC	NEC-MECH	Need switch box near TV	Block 7 - Second floor -Room no. 205	Complaints	MURUGAPANDIAN G S-9788283108	Electrical work	Not Completed	✓			
285262	22/09/2022	Tech	NEC	NEC-MECH	Bathroom (Toilet room) door lock damaged both front and Back side (Door Count 15)	Block 7 - Gents Toilet (First Floor and second floor)	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

9/27/22, 10:39 AM

Nandha Educational Institutions

SNo	Date	campus	Institution	Department	Facility	Location	Category	Staff Name	work nature	Work Status	reason	days	complete Date	Bus No
285263	22/09/2022	Tech	NEC	NEC-MECH	Avoid Staying of cleaning workers during night time (passing urine around the block 7)	Block 7	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285264	22/09/2022	Tech	NEC	NEC-MECH	Rain water leakage through the roof must be arrested.	Foundry and Lathe Shop Lab (Shed 8) - Near Canteen	Complaints	MURUGAPANDIAN G S-9788283108	Civil work	Not Completed				
285265	22/09/2022	Tech	NEC	NEC-MECH	Electrical wiring inside the lab must be properly arranged in the main box	Foundry and Lathe Shop Lab (Shed 8) - Near Canteen	Complaints	MURUGAPANDIAN G S-9788283108	Electrical work	Not Completed				
285266	22/09/2022	Tech	NEC	NEC-MECH	Fan cups are damaged (Count 6)	Foundry and Lathe Shop Lab (Shed 8) - Near Canteen	Complaints	MURUGAPANDIAN G S-9788283108	Electrical work	Not Completed				



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

9/27/22, 10:39 AM

Nandha Educational Institutions

SNo	Date	campus	Institution	Department	Facility	Location	Category	Staff Name	work nature	Work Status	reason	days	complete Date	Bus No
285267	22/09/2022	Tech	NEC	NEC-MECH	Fan cups are damaged during cleaning work (count nearly 20) in all class rooms and faculty cabin	Block 7 All floors	Complaints	MURUGAPANDIAN G S-9788283108	Electrical work	Not Completed				
285268	22/09/2022	Tech	NEC	NEC-MECH	Need Black board painting	Foundry and Lathe Shop Lab (Shed 8) - Near Canteen	Complaints	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

9/27/22, 10:37 AM

Nandha Educational Institutions

SNo	Date	campus	Institution	Department	Facility	Location	Category	Staff Name	work nature	Work Status	reason	days	complete Date	Bus No
285195	21/09/2022	Tech	NEC	NEC-MECH	Need Tube light (Count 3)	CAD/CAM Lab - Ground floor - Block 7	New Requirements	MURUGAPANDIAN G S-9788283108	Electrical work	Not Completed				
285208	21/09/2022	Tech	NEC	NEC-MECH	Need 4 Wall Mountain Fan	Mrtology Lab (Shed) - Near Canteen	New Requirements	MURUGAPANDIAN G S-9788283108	Electrical work	Not Completed				
285215	21/09/2022	Tech	NEC	NEC-MECH	Need Wooden file rack for Hod cabin	Block 7 - First floor - HOD Cabin (Room no. 109)	New Requirements	MURUGAPANDIAN G S-9788283108	Carpenter	Not Completed				
285219	21/09/2022	Tech	NEC	NEC-MECH	Need faculty cabin (Aluminium Partiton work) in laboratory	Special Machines lab (Shed 4) -Near Canteen	New Requirements	MURUGAPANDIAN G S-9788283108	Maintenance	Not Completed				
285220	21/09/2022	Tech	NEC	NEC-MECH	Need wooden First aid Box	Special Machines lab (Shed 4) -Near Canteen	New Requirements	MURUGAPANDIAN G S-9788283108	Carpenter	Not Completed				
285241	22/09/2022	Tech	NEC	NEC-MECH	Need Switch box with two plug point (2 set) and three pin top (4 numbers)	Thermal Engineering I lab - Shed 10 - Near canteen	New Requirements	MURUGAPANDIAN G S-9788283108	Electrical work	Not Completed				



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

NANDHA ENGINEERING COLLEGE (AUTONOMOUS), ERODE - 52
CCM COMPLAINT (ACADEMIC) - 2022 - 23 - ODD SEMESTER

SNo	Date	Dept	Facility	Location	Staff Name	work nature	Work Status	class	No of Similar Response	REMARKS
295811	20-10-2022	NEC-BME	17MECD5 - Students requested to solve one example problem in the classroom by the faculty before assigning to them. Requested to post study materials in the google classroom for the topics prescribed in the syllabus only instead of posting the entire book. 17MEP04 - Students complained about the working condition of PC, mouse and keyboard	BLOCK 7 II MECH	EASWARAMOORHT I M-9842013355	Academic	Not Completed	I MECH		
295844	20-10-2022	NEC-BME	Dr. A. ASHOKKUMAR & Mr. M. SENGOTTAIYAN - 17MECD5 - Students requested to solve one example problem in the classroom by the faculty before assigning to them. Requested to post study materials in the google classroom for the topics prescribed in the syllabus only instead of posting the entire book. Dr. M. MANIKANDAN - 17MEP04 - Portion Completion: 6 experiments completed Students complained about the working condition of PC, mouse and keyboard. Co-Curricular In-Charge - Students requested for Industrial visits. Requisition to conduct club activities in working Saturdays	Block - 7 II Mech	EASWARAMOORHT I M-9842013355	Academic	Not Completed	II MECH		
295845	20-10-2022	NEC-BME	Mr. D. RAVICHANDRAN - 17MECD3 - Requisition from students to recap the previous topics and need more explanation. Mr. M. SHANMUGAM - 17MECD4 - Students requested to handle the topics slowly Mr. M. SENGOTTAIYAN & Dr. A. ASHOKKUMAR - 17MECD5 - Need more explanation on the topics	Block - 7 II Mech	EASWARAMOORHT I M-9842013355	Academic	Not Completed	II MECH		
295829	31-10-2022	NEC-CHEMICAL	NEED WIFI, SEPARATE ID ROPE FOR PG STUDENTS	BLOCK-5, I MBA	Manimegalai-9976825440	Academic	Not Completed	I MBA	10	
295833	31-10-2022	NEC-CHEMICAL	PROJECTOR IS NOT WORKING, A/C IS NOT WORKING, WIFI NEEDED, LAB COMPUTER (MOUSE, KEYBOARD) CONDITION NEED TO CHECK	BLOCK 5-II MBA	Manimegalai-9976825440	Academic	Not Completed	II MBA	10	
295796	31-10-2022	NEC-CHEMISTRY	17MEC07- students need more class hour for this subject	BLOCK 9- II CHEMICAL	Dr Subramanian 9789780967	Academic	Not Completed	II CHEMICAL	13	
295797	31-10-2022	NEC-CHEMISTRY	17CHC02-students need more class hour for this subject.	BLOCK 9-II CHEMICAL	Dr Subramanian 9789780967	Academic	Not Completed	II CHEMICAL	13	
295798	31-10-2022	NEC-CHEMISTRY	Students need screen for windows, and said poor wifi connection in classroom while taking examily. They said classroom cleaning is not proper. Students said their II year classroom floor is broken, they asked to heal it	BLOCK 9-II CHEMICAL	Dr Subramanian 9789780967	Academic	Not Completed	II CHEMICAL	13	



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

SNo	Date	Dept	Facility	Location	Staff Name	work nature	Work Status	class	No of Similar Response	REMARKS
295799	31-10-2022	NEC-CHEMISTRY	Student need Industrial Visit to enhance their knowledge LAB-Students need sufficient equipments like glasswares, burner, capillary tube	BLOCK-9-II CHEMICAL	Dr Subramanian 9789780967	Academic	Not Completed	II CHEMICAL	13	
295800	31-10-2022	NEC-CHEMISTRY	Students asked to service the machines in Fluid Mechanics Lab, because the equipments are not showing proper reading.	BLOCK -9	Dr Subramanian 9789780967	Academic	Not Completed	II CHEMICAL	13	
295805	31-10-2022	NEC-CHEMISTRY	Student wish to study the Industry related software classes like Aspen Hysis, Chemcad, Autocad, Aspen plus, in second year onwards.	BLOCK 9 -II CHEMICAL	Dr Subramanian 9789780967	Academic	Not Completed	II CHEMICAL	13	
295808	31-10-2022	NEC-CHEMISTRY	They said poor wifi connection in their classroom while taking exam. They also need coaching for exam. They need Hindi class for their self development. Student need, one test per day in CAT	BLOCK 9-III CHEMICAL	Dr Subramanian 9789780967	Academic	Not Completed	III CHEMICAL	12	
295809	31-10-2022	NEC-CHEMISTRY	students need core company placement which offer GRIAC's too	III CHEMICAL	Dr Subramanian 9789780967	Academic	Not Completed	III CHEMICAL	12	
295813	31-10-2022	NEC-CHEMISTRY	PLACEMENT TRAINING-Students said core company placement need to start	BLOCK 9-IV CHEMICAL	Dr Subramanian 9789780967	Academic	Not Completed	IV CHEMICAL	10	
295814	31-10-2022	NEC-CHEMISTRY	Students need hands on training, and also want add on course in every sem	IV CHEMICAL	Dr Subramanian 9789780967	Academic	Not Completed	IV CHEMICAL	10	
295816	31-10-2022	NEC-CHEMISTRY	In PMS Lab, students need more fan facility and printer provision inside the lab, and asked to repair 3 systems which is not in working condition. In PDC lab, students said that, windows need to repair because rain water enter into the lab through windows and need more system. Students said poor wifi connection in classroom while taking exam. Students need screen for windows. They need android TV in Final year classroom. In exam test students need core relevant MCQ's.	IV CHEMICAL	Dr Subramanian 9789780967	Academic	Not Completed	IV CHEMICAL	10	
295818	31-10-2022	NEC-CHEMISTRY		BLOCK 9- IV CHEMICAL	Dr Subramanian 9789780967	Academic	Not Completed	IV CHEMICAL	10	
295822	31-10-2022	NEC-CHEMISTRY	Students need add on course in every semester.	BLOCK-9-IV CHEMICAL	Dr Subramanian 9789780967	Academic	Not Completed	IV CHEMICAL	10	
295771	31-10-2022	NEC-CSE	STUDENTS ARE ASKING TO ADD PT PERIOD	block 5 - 203 - II CIVIL	Dr.E.K.MOHAN RAJ-7373714706	Academic	Not Completed	I_ II_ III_ IV CIVIL	10	
295772	31-10-2022	NEC-CSE	STUDENTS ARE ASKING SCREEN FOR CLASS ROOM WINDOWS	BLOCK 5-203	Dr.E.K.MOHAN RAJ-7373714706	Academic	Not Completed	I_ II_ III_ IV CIVIL	15	
295773	31-10-2022	NEC-CSE	STUDENTS ARE COMPLAINING ABOUT THE CLASS ROOM PROJECTOR IS NOT WORKING	BLOCK 5-203	Dr.E.K.MOHAN RAJ-7373714706	Academic	Not Completed	I_ II_ III_ IV CIVIL	24	
295778	31-10-2022	NEC-CSE	STUDENTS ARE COMPLAINING ABOUT THE PLUG POINT CONNECTIONS ARE NOT WORKING IN THEIR CLASS ROOM	BLOCK-5 -III CIVIL	Dr.E.K.MOHAN RAJ-7373714706	Academic	Not Completed	III CIVIL	10	



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

SNo	Date	Dept	Facility	Location	Staff Name	work nature	Work Status	class	No of Similar Response	REMARKS
295779	31-10-2022	NEC-CSE	STUDENTS ARE ASKING SCREEN FOR CLASS ROOM WINDOWS	BLOCK 5-III CIVIL	Dr.E.K.MOHAN RAJ-7373714706	Academic	Not Completed	III CIVIL	40	
295780	31-10-2022	NEC-CSE	STUDENTS ARE ASKING PROPER APPPTITUDE CLASSES IN THEIR EXAMLY HOURS	BLOCK 5-III CIVIL	Dr.E.K.MOHAN RAJ-7373714706	Academic	Not Completed	III CIVIL	15	
295785	31-10-2022	NEC-CSE	STUDENTS ARE ASKING TO CELEBRATE OUR TRADITIONAL FESTIVALS IN OUR COLLEGE	BLOCK 5 -IV CIVIL	Dr. E.K.MOHAN RAJ-7373714706	Academic	Not Completed	IV CIVIL	10	
295837	18-10-2022	NEC-MBA	PROFESSOR WITH PHONE - 178MCP4 need to slowdown the speed of the internet MRS.M.NIVETHITHA/BME - 178MCP3 - MAT lab software not available in many system MRS.E.MADURA/BME DR.M.DHIPA/BME - 178MCP4 - Equipments need to be serviced MRS.B.SOWBARNIKA/BME Dept club needed to be started bionix Lab lan connection need to be given Blackboard need to be changed	Block 3 - 107	SUKUMAR.P-9842119035	Academic	Not Completed	III BME	5	
295786	31-10-2022	NEC-SAH	Students requested a sports/ games hour	BLOCK 3- I MCA	Vellingiriraj - 9965361666	Academic	Not Completed	I MCA	7	
295787	31-10-2022	NEC-SAH	Students requested additional GB exclusively in Hostel It is said that the speed of the internet can be increased in college premises	BLOCK 3- I MCA	Vellingiriraj - 9965361666	Academic	Not Completed	I MCA	10	
295793	31-10-2022	NEC-SAH	Students requested to bring more companies for below 60% students	BLOCK 3-217	Vellingiriraj - 9965361666	Academic	Not Completed	II MCA	10	

P. A. G. S. S. S.
CONVENER
11/11/22

PRINCIPAL
11/11/22



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

NANDHA ENGINEERING COLLEGE, ERODE - 52
CCM COMPLAINT - EVEN SEMESTER - 2022-23 - ACADEMIC

SNo	Date	Facility	Location	Staff_Name	Work	class	Remarks
327405	14/03/2023	1.17MEC08 -KOM Dr.S.Magibalan : Subject was tough to understand,need more examples for understanding. 2.17MEC11 - SOM Dr. B.Ashok kumar :Subject need to be taught more conceptually with examples. 3.SS-RW - N.Thiviya : Classes are altered to other subjects. 4.Lab : Experiments need to be taught batchwise.	Block-7 II Mech	Dr.Easwaramoorthi M-7373714707	Not Completed	Mech	
327563	14/03/2023	mechtronics lab system are not working 1.mechtronics lab systems are not working. 2.Not enough holidays after semester exams. 3.Need IV to distant places. 4.Need IV to big industries. 5. One side pathway is closed always.It need to be opened for the use.	block 7	Dr.Easwaramoorthi M-7373714707	Not Completed	Mech	
327406	27/03/2023	STUDENTS ARE ASKED TO NEED TO ALLOCATE DEPARTMENT IV COORDINATOR	Block-7	Dr.Easwaramoorthi M-7373714707	Not Completed	Mech	
327321	27/03/2023	BLOCK 1- CLASS ROOM J01 BLACK BOARD DAMAGED MUST NEEDED FOR REPLACEMENT	BLOCK 3-III ECE	Dr.Kavitha S-9942215651	Not Completed	III ECE	
327322	27/03/2023	STUDENTS ARE ASKED TO REQUIRED FOR NET CONNECTION IN CLASSROOM TV OR GIVE COMMON PEN DRIVE FOR THE PURPOSE OF PRESENTATION	BLOCK 1-301	Dr.Kavitha S-9942215651	Not Completed	III ECE	
327323	27/03/2023	PLACEMENT SERVER NOT IN PROPER DURING ATTENDING APTITUDE EXAMS	BLOCK 1-301	Dr.Kavitha S-9942215651	Not Completed	III ECE	
327338	27/03/2023	THERE IS NO INDUSTRIAL VISIT AND FIELD VISIT	BLOCK 5-I MBA	Dr.Manimegalai.V-9976825440	Not Completed	I MBA	
327551	16/03/2023	students need smart TV in their classroom students need hindi class lab system are not good working poor wifi connection student need washroom facility in their chemical block itself	block 6	Dr.Manimegalai.V-9976825440	Not Completed	I MBA	
327555	16/03/2023	wifi problem need AC in process modelling and simulation lab coaching class for examily test wash room facility	block6	Dr.Manimegalai.V-9976825440	Not Completed	I MBA	
327319	27/03/2023	NEED IV VISIT, NEED FUNCTIONS (PONGAL CELEBRATIONS)	BLOCK 5	Dr.Mohanraj EK-7373714706	Not Completed	III CIVIL	



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

327400	31/03/2023	1. During Examly hour lab not available. 2. Every week their should be an class hour for Recent Technology Trends. 3.USB cable for laptop to LED TV is needed. 2.Classroom window screen 3 more is needed.	Block-3	Dr.Siva.C-9750680111	Not Completed	IT	
327343	27/03/2023	Students need AC in Process Modelling and Simulation lab and Students need system facility for taking output for UV spectroscopy	block 9 -iv chemical	Dr.Subramanian N-9789780967	Not Completed	IV CHEMICAL	
327344	27/03/2023	Students need coaching class for examly test.	Block 9-FINAL CHEMICAL	Dr.Subramanian N-9789780967	Not Completed	IV CHEMICAL	
327352	27/03/2023	Students need hindi class.	BLOCK 9-III CHEMICAL	Dr.Subramanian N-9789780967	Not Completed	III CHEMICAL	
327357	27/03/2023	in Process Module and Simulation Lab systems are not in good working condition. So they need to repair the systems.	BLOCK 9	Dr.Subramanian N-9789780967	Not Completed	II CHEMICAL	
327360	27/03/2023	Students need one credit course	BLOCK-9 II CHEMICAL	Dr.Subramanian N-9789780967	Not Completed	II CHEMICAL	
327367	27/03/2023	Students requested Sports hour	BLOCK 3- I MCA	Dr.Vellingiri Raj E.K.-9965361666	Not Completed	I MCA	
327559	16/03/2023	block 1 classroom 301 back board damaged	block 1	KAVITHA K-	Not Completed	ECE	
327558	16/03/2023	need wifi specility, board brken	block 7	MOHANRAJ E K-9842794011	Completed	Civil	
327553	15/03/2023	need regular RO water supply. Wifi not working restroom taps damaged	block4	PRADEEPKUMAR G-	Not Completed	Agri	
327550	15/03/2023	17MYB06 classes conducted on fast manner need details explanation in problem solving more seminars given to students PBL project batch formation completed student need more ODs to attend intra college events	agri	PRADEEPKUMAR G-	Not Completed	Agri	
327554	15/03/2023	need software updatation CAD lab personal computer and software facility not provided need window screen wifi not working properly	block 4	PRADEEPKUMAR G-	Not Completed	Agri	

J.A. Smith
CONVENOR

N. Aravind
PRINCIPAL



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

NANDHA ENGINEERING COLLEGE, ERODE-52
CCM COMPLAINTS
ACADEMIC

Sr No	Date	Department	Issue	Faculty	Staff Name
34868	25-08-2021	NEC-SAH	1) Other college events not properly mentioned in department notice board. 2) Need for wireless internet in class rooms.	Block - 1 (III - ECE)	Dr Kavitha S-0942215651
34869	25-08-2021	NEC-SAH	Refreshment not properly provided for department organizing functions and college functions.	Block- 1 (III - ECE)	Dr Kavitha S-0942215651
34870	26-08-2021	NEC-MBA	College fee- Time is needed	Block-4 (II-BME)	AD - VELLISAMY A.K - 737314477
34871	21-08-2021	MCA	Classroom is not allocated for II MCA	Block-3 II MCA	Mrs. G. Sathya-8865543221
34872	25-08-2021	NEC-SAH	1) Computer not working in simulation lab pad (SD lab). 2) Students are ask to request for net connection in class room TV or give connection, WiFi connection.	Block- 1 (III - ECE class room)	Dr Kavitha S-0942215651
34873	18-08-2021	NEC-MCA	1. Students asked to reduce messy things in classes. 2. To avoid antiques, no items should be distributed in advance.	BLOCK 7-MECHANICAL BLOCK.	Dr.Easwaramoorthi M-737314477
34874	18-08-2021	NEC-MCA	Remote industry visits were requested by students.	BLOCK 7-MECHANICAL BLOCK.	Dr.Easwaramoorthi M-737314477
34875	26-08-2021	EEE	More De-Duty needed	Block-4	RAMANI G-0940778576
34876	26-08-2021	EEE	Requested to provide IV	Block-4	RAMANI G-0940778576
34877	26-08-2021	EEE	Need to change the class board	Block-4	RAMANI G-0940778576
34878	26-08-2021	EEE	Need to clean the class frequently	Block-4	RAMANI G-0940778576
34879	26-08-2021	EEE	placement training is not needed for non placement students.	Block-4	RAMANI G-0940778576
34880	26-08-2021	EEE	complaint about high work pressure	Block-4	RAMANI G-0940778576
34881	26-08-2021	EEE	forcing us to work on lesser time	Block-4	RAMANI G-0940778576
34882	26-08-2021	EEE	Zero celebration	Block-4	RAMANI G-0940778576
34883	24-08-2021	CIVIL	1. Students requested for Industrial visit. 2. Leave request is needed related to academic purpose.	Block 5	Dr Arulnaray ECE-737314476
34884	23-08-2021	NEC-CHEMISTRY	Students need sink facility in chemical reaction Engineering lab	Block-9 III chemical	Dr Subramanian N-0759709907
34885	29-08-2021	Agri	Class room is not cleaned properly Need the Overhead projector IV to other class needed	Block 4	CHANDRABHAKAN V- 9946533983
34886	22-08-2021	CSE	At block 3 (II) Floor Water tap needed class room to be cleaned regularly AED check projector not working Systems in Lab not working properly	Block 3 third floor	Dr.Vasanthi D-7373748011



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

348004	22-08-2022	CSE	Subjects handled through flat track and not understandable	In class	Dr. Manali D-751374801
348004	21-08-2022	IT	In class room fans are running but slowly its not use for student Windows screen is not available to the class room	Block 2 & 3	Dr. V.A. C-75136801 9894348031

T. S. S. S.
21/9/22

N. S. S.
Principal 21.9.22

ITDs are asked follow up the matter and submit the Action taken report by 29.9.2022



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585

NANDHA ENGINEERING COLLEGE (AUTONOMOUS), ERODE – 52

DEPARTMENT OF COMPUTER APPLICATIONS

CCM - ACTION TAKEN REPORT (2022-23 ODD SEMESTER)

DATE: 08.11.2022

CCM COMPLAINT NO	NATURE OF FEEDBACK	CLASS	ACTION TAKEN
295786	Students requested a sports/ games hour	BLOCK 3- I MCA	Not applicable for PG Students.
295787	Students requested additional GB exclusively in Hostel It is said that the speed of the internet can be increased in college premises	BLOCK 3- I MCA	Complaint forwarded to administrative officer.
295793	Students requested to bring more companies for below 60% students	BLOCK 3- 217	Only few companies were asked below 60%. All major companies eligible norms are above 60%. Complaint forwarded to Placement office and try to get more companies for eligible norms below 60%.



NANDHA ENGINEERING COLLEGE

(AUTONOMOUS)

(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)

Perundurai, Erode - 638052, Tamil Nadu, India. Email: principal@nandhaengg.org

Website: www.nandhaengg.org Phone: 04294-225585